(12)

EUROPEAN PATENT APPLICATION

(71) Applicant: MINNESOTA MINING AND
MANUFACTURING COMPANY
3M Center, P.O. Box 33427
St. Paul Minnesota 55133(US)

(72) Inventor: Heilmann, Steven M., c/o Minnesota
Mining and
Manufacturing Co., 2501 Hudson Road,
P.O.Box 33427
St. Paul, Minnesota 55133-3427(US)
Inventor: Rasmussen, Jerald K., c/o
Minnesota Mining and
Manufacturing Co., 2501 Hudson Road,
P.O.Box 33427
St. Paul, Minnesota 55133-3427(US)
Inventor: Krepski, Larry R., c/o Minnesota

Mining and
Manufacturing Co., 2501 Hudson Road,
P.O.Box 33427
St. Paul, Minnesota 55133-3427(US)
Inventor: Milbrath, Dean S., c/o Minnesota
Mining and
Manufacturing Co., 2501 Hudson Road,
P.O.Box 33427
St. Paul, Minnesota 55133-3427(US)
Inventor: Coleman, Patrick L., c/o Minnesota
Mining and
Manufacturing Co., 2501 Hudson Road,
P.O.Box 33427
St. Paul, Minnesota 55133-3427(US)
Inventor: Walker, Margaret M., c/o Minnesota
Mining and
Manufacturing Co., 2501 Hudson Road,
P.O.Box 33427
St. Paul, Minnesota 55133-3427(US)

(74) Representative: Baillie, Iain Cameron et al
c/o Ladas & Parry Isartorplatz 5
D-8000 München 2(DE)

(54) **Polymeric supports.**

(57) Azlactone-functional polymer supports are useful reactive supports for the attachment of functional materials to provide novel adduct supports. The adduct supports are useful as complexing agents, catalysts, polymeric reagents, chromatographic supports, and as enzyme- or other biologically active supports. Novel carboxylate-functional polymer supports, are intermediates in the preparation of the azlactone-functional supports. Azlactone-functional supports have units of the formula:

wherein

EP 0 392 735 A2

R^1 is H or CH_3,

R^2 and R^3 independently can be an alkyl group having 1 to 14 carbon atoms, a cycloalkyl group having 3 to 14 carbon atoms, an aryl group having 5 to 12 ring atoms, an arenyl group having 6 to 26 carbon and 0 to 3 S, N, and nonperoxidic 0 heteroatoms, or R^2 and R^3 taken together with the carbon to which they are joined can form a carbocyclic ring containing 4 to 12 ring atoms, and

n is an integer 0 or 1,

the azlactone functional supports, which can be membranes, films, or coatings on a substrate, having 0 to 99 molar parts of crosslinking monomer incorporated therein, or beads, having 0 to 5 molar parts of crosslinking monomer incorporated therein.

POLYMERIC SUPPORTS

FIELD OF THE INVENTION

5   This invention relates to azlactone-functional supports, including polymer beads, membranes, films, and coatings. The azlactone-functional supports are useful for attachment of functional materials to provide novel adduct supports. The adduct supports are useful as complexing agents, catalysts, and polymeric reagents, as enzyme or other protein-bearing supports, and as chromatographic supports. In additional aspects, methods of preparation of the supports are disclosed.

10

BACKGROUND OF THE INVENTION

    The attachment of useful materials such as catalysts, reagents, chelating or complexing agents, and proteins to insoluble supports is well-known. With the attending advantages of ease of removal and recovery
15 from the system, e.g., by simple filtration, regeneration (if necessary), and recycling coupled with the increased utilization of continuous flow systems in both general chemical processing and diagnostic monitoring procedures, supported materials are ubiquitous in today's technology. One indication of this is the listing of "Polymer- Supported Reagents" as a separate heading in the General Subjects Index of Chemical Abstracts beginning in 1982.
20   Concerning the nature of the insoluble support material, both inorganic polymers (notably silica gel and alumina) and organic polymers have been utilized. Factors, however, such as increased capacity because of better porosity (especially with the so-called "gel-type" polymers which swell somewhat and allow relatively free access by solvent and solute to the bound functionality within the support) and better control of the polar nature of the support (by selection of appropriate comonomers), which has been shown to directly
25 affect reaction rate, have led to a general preference for the organic polymer supports. Polystyrene has been the solid support material most extensively utilized.
   The attaching functionality for polystyrene supports most often utilized has been the chloromethyl-phenyl group. These reactive, solid supports are the so-called "Merrifield resins", so named for R.B. Merrifield (J. Am. Chem. Soc., 85, 2149 (1963)) who received the Nobel Prize in Chemistry in 1984 for
30 these and other achievements. Merrifield resins are extremely useful for conducting solid phase peptide syntheses, but their broad utilization as reactive, solid supports is limited because of the relative nonpolarity of the hydrophobic polystyrene backbone, an oftentimes unpredictable attaching reaction which involves nucleophilic displacement of chloride ion, and a relatively low capacity of reactable chloromethylphenyl groups per gram of polymer. The chloromethylphenyl and other reactive functionalities are discussed by
35 N.H. Mathur, C.K. Narang, and R.E. Williams, "Polymers as Aids in Organic Chemistry", Chapter 2, Academic Press: New York (1980).
    The present state of reactive, insoluble supports may be summarized by the statement that no one support is broadly suitable for the many applications of solid-supported materials. The spectrum of properties required varies tremendously depending on the end-use, which includes such diverse applica-
40 tions as mediating organic synthetic transformations, removing precious metals from sea water or heavy metal contaminants from industrial effluants, utilizing supported metals as catalysts for conducting organic reactions and polymerizations, resolving optical isomers, separating biomacromolecules, and attaching biomacromolecules.
    Azlactones have not been previously utilized as attaching groups on insoluble supports. Azlactones
45 have, however, been proposed to be useful in two instances.
    U.S. Patent No. 4,070,348 teaches the preparation of water-swellable, crosslinked bead copolymers having 0.2 to 5 mol percent crosslinking monomer and at least 10 mole percent of a water soluble comonomer incorporated therein. The copolymers are reactive with proteins primarily by the inclusion of oxirane groups which are the only reactive groups claimed. Several "activated carboxyl groups" (col. 4; line
50 42), however, are listed including a 2-alkenyl azlactone, 2-isopropenyl-4,4-dimethyl-oxazolone-5 (col. 5; lines 2-3), and reaction of this compound with a primary amino group of a protein is depicted schematically (col. 5; lines 8-14). No additional information or enabling disclosure is given about incorporation of the azlactone into a hydrophilic, crosslinked bead copolymer or reaction of an azlactone-functional insoluble support with a protein or any other functional material. The crosslinked, bead copolymers of U.S. Patent No. 4,070,348 are all prepared purposely in essentially an anhydrous condition, i.e. with care being taken to exclude water.

L.D. Taylor, et al., Makromol. Chem., Rapid Commun., 3, 779 (1982) have proposed azlactones to be useful as reactive groups on polymeric supports. Only the bulk homopolymerization of 2-vinyl-4,4-dimethylazlactone to form a polymeric "plug" is described. No mention of crosslinking and generation of polymeric beads is given. Furthermore, described at some length is the susceptibility of the poly(azlactone) to hydrolysis, i.e., ring-opening reaction with water [equation (1)]. Hydrolysis is regarded as being very facile, occurring even with traces of moisture often present in organic solvents for the homopolymer, as follows:

$$(1)$$

Based on this account of the propensity toward hydrolysis, it is entirely unexpected that an azlactone-functional support could be selectively reacted with a functional material in aqueous media.

SUMMARY OF THE INVENTION

Briefly, the present invention provides hydrophilic azlactone-functional supports, including polymer beads having up to 5 molar parts of crosslinker; it also provides membranes, films, and coating on a substrate, having in the range of 0 to 99 molar parts of crosslinking monomer incorporated therein.

In another aspect, the present invention provides novel adduct supports which are produced by a ring opening reaction between the azlactone-functional supports of the invention and functional materials. The adduct supports are useful as complexing agents, catalysts, reagents, adsorbants, chromatographic supports, and as biologically active supports.

The present invention provides four methods for the preparation of supports of the invention. Several methods are available for preparing azlactone-functional supports. One method is to apply alkenyl azlactone monomer to the support (optionally along with other co-monomers) and polymerize the monomer(s) in place, e.g., by photopolymerization (utilizing an appropriate photoinitiator).

In Process I carboxylate-functional polymer supports are prepared as intermediates to azlactone-functional polymer supports by the reverse phase suspension polymerization product of:

(i) optionally, at least one free radically addition polymerizable, water soluble monomer,

(ii) at least one water-soluble salt of an N-(meth)acryloylamino acid, and

(iii) at least one crosslinking monomer.

Reaction of a cyclization agent and the carboxylate-functional polymer supports just described provides azlactone-functional polymer supports.

In Process II of the invention the azlactone-functional supports can be prepared by the reverse phase suspension polymerization product of

(i) optionally, at least one free radically addition polymerizable, water soluble monomer,

(ii) at least one alkenyl azlactone, and

(iii) at least one crosslinking monomer.

In Process III of the invention the azlactone-functional supports can be prepared by the dispersion polymerization reaction product of

(i) optionally, at least one free radically addition polymerizable monomer,

(ii) at least one alkenyl azlactone, and

(iii) optionally, at least one crosslinking monomer.

In Process IV of the invention azlactone-functional supports can be provided by coating an azlactone-functional polymer onto a solid support.

Reaction of the azlactone-functional supports of the invention with functional materials capable of reacting with the azlactone ring (i.e. by a ring-opening reaction) provides the adduct supports of the invention. We have discovered that this adduct-forming reaction occurs to a high degree with a dissolved nucleophile in water solution, especially when the nucleophile is primary amine-functional. This selectivity of

reaction is even more surprising when one considers that the concentration of the amine nucleophile on a protein functional material, for example, is most often substantially lower than that of the water solvent. Before the present invention, it was thought that azlactone groups would predominantly react with water, i.e., hydrolyze, rather than react with a dissolved nucleophile.

5   The hydrophilic or hydrophobic nature of a support is extremely important in determining its utility. An obvious advantage of a hydrophilic support is that many of the operations of supported materials are conducted in aqueous media. Water is virtually the exclusive solvent for conducting precious or noxious metal ion removal, in diagnostic monitoring of components of biofluids and biosystems, as well as in a number of chemical reactions, and it is oftentimes advantageous to utilize a polymer support which will
10 swell in water. The water solvent can facilitate the additional encounter and interaction of a solute and reactive groups within the hydrophilic support as well as at the support-water interface.

    Hydrophilic polymer-supported materials find use and are beneficial in non-aqueous systems as well. Functional groups which impart hydrophilicity are highly polar in nature, and supported material functions which are sensitive to solvent effects will be tremendously affected, especially in terms of rate, by the
15 polarity of the polymer backbone. Importance of the polymer backbone in determining the local environment for a supported material has been noted by H. Morawetz, J. Macromol. Sci.--Chem., A-13, 311 (1979).

    As has been noted above, U.S. Patent No. 4,070,348 discloses water-swellable, crosslinked bead copolymers having 0.2 to 5 mol percent crosslinking monomer and at least 10 mole percent of a water soluble comonomer incorporated therein. The patentee desires beads having a high degree of swelling in
20 water, i.e., 5-100 times as is disclosed in col. 6, lines 66-67. This high degree of swelling is deemed important to achieve high binding capacity with proteins. In col. 9, lines 30-32, of U.S. Patent No. 4,070,348, it is stated that "The greatest part of the biologically active substances are found in the wide mesh 'hollow spaces' within the swollen particles."

    However, many applications, particularly chromatographic applications, cannot conveniently utilize
25 support materials which exhibit a high degree of swelling in aqueous media.

    Surprisingly, we have now found that azlactone supports having remarkably high binding capacity with functional materials can be achieved with highly crosslinked supports which swell very modestly, e.g., threefold or less, in water. When, desired, a high degree of crosslinking is achieved by incorporating greater than 5 and up to 99 molar parts (mol percent) crosslinking monomer, preferably 7 to 99 molar parts, more
30 preferably 10 to 99 molar parts, and most preferably 30 to 99 molar parts of at least one crosslinking monomer into the azlactone-functional polymer supports.

    In this application:

· "azlactone-functional support" means an article comprising an azlactone-functional polymer or an azlactone-functional polymer coated on at least one surface of a substrate;
35 "acryloyl" means not only 1-oxo-2-propenyl but also 1-oxo-2-methyl-2-propenyl resulting from methacryloylation reactions;

"alkyl" means the monovalent residue remaining after removal of a hydrogen atom from a saturated linear or branched chain hydrocarbon having 1 to 14 carbon atoms;

"aryl" means the monovalent residue remaining after removal of one hydrogen atom from an aromatic or
40 heteroaromatic compound which can consist of one ring or two fused or catenated rings having 5 to 12 ring atoms which can include up to 3 heteroatoms selected from S, N, and nonperoxidic O. The carbon atoms can be substituted by up to three halogen atoms, C_1 - C_4 alkyl, C_1 - C_4 alkoxy, N,N-di(C_1 - C_4 alkyl)amino, nitro, cyano, and C_1 - C_4 alkyl carboxylic ester;

"arenyl" means the monovalent residue remaining after removal of a hydrogen atom from the alkyl portion
45 of a hydrocarbon containing both alkyl and aryl groups having 6 to 26 carbon and heteroatoms (wherein the heteroatoms are up to 3 S, N, and nonperoxidic O atoms);

"azlactone" means 2-oxazolin-5-one groups of Formula I and 2-oxazin-6-one groups of Formula II;

50

    I   II

55

"parts" means parts by weight unless otherwise specified;

"carboxylate" means

$$-\overset{O}{\underset{C}{\|}}O^-M^+$$ wherein M is hydrogen, ammonium, or an alkali metal such as Li, Na, or K;

"macroporous" refers to crosslinked polymers in which the level of crosslinker or difunctional monomers is greater than 20 parts, with no polymer non-solvent or porogen utilization being required;

"biologically active" refers to substances which are biochemically, immunochemically, physiologically or pharmaceutically active such as antibodies, antigenic substances, enzymes, cofactors, inhibitors, lectins, hormones, receptors, coagulation factors, amino acids, histones, vitamins, drugs, cell surface markers, and substances which interact with them;

"gel-type" refers to crosslinked polymers in which the level of crosslinkers or difunctional monomers is less than 20 parts.

Structures and formulae depicted between parentheses are partial structures of polymers.

DETAILED DESCRIPTION OF THE INVENTION

The present invention provides azlactone-functional supports having on at least one of their surfaces units of Formula V:

V

wherein

R^1 is H or CH_3,

R^2 and R^3 independently can be an alkyl group having 1 to 14 carbon atoms, a cycloalkyl group having 3 to 14 carbon atoms, an aryl group having 5 to 12 ring atoms, an arenyl group having 6 to 26 carbon and 0 to 3 S, N, and nonperoxidic 0 heteroatoms, or R^2 and R^3 taken together with the carbon to which they are joined can form a carbocyclic ring containing 4 to 12 ring atoms, and

n is an integer 0 or 1.

These supports may be crosslinked azlactone- functional polymeric beads or they may be solid substrates coated on at least one surface with a layer of an azlactone-functional polymer. This layer may have a thickness in the range of 1 nanometer to 5 mm. Useful solid substrates include inorganic solids such as glass, ceramics, unfired metal and nonmetal oxides, clays, zeolites, and organic polymers.

Also provided by this invention are adduct supports having the formula

VI

wherein

R^1, R^2, R^3, and n are as previously defined,

X can be -O-, -S-, - $\overset{|}{N}$H-,

or - $\overset{|}{N}R^4$

wherein R^4 can be alkyl or aryl, and

G is the residue of HXG which performs the adsorbing, complexing, catalyzing, separating, or reagent

function of the adduct beads.

HXG can be a biologically active substance, dye, catalyst, reagent, and the like.

The azlactone-functional supports of this invention are provided by one of several processes:

5

PROCESS I:

10

Two-step Reverse Phase Suspension Polymerization

The polymer and adduct supports of Process I of the invention can be provided according to the process depicted by Chemical Equations I, below.

15

20

25

30

35

40

45

50

55

CHEMICAL EQUATIONS (PROCESS I) I

water soluble
monomers   + $CH_2=C—CNHC-(CH_2)_nCO_2^-M^+$ +   crosslinking
                         R^1 O R^2 monomers
                                    R^3

N-acryloylamino acid salt

III

↓   step 1

$R^1-C-C-NHC(CH_2)_nCO_2^-M^+$
          O R^2
          CH_2 R^3

carboxylate-functional supports

IV

cyclization   step 2
agent

$R^1—C——C=N$
            CH_2 O C R^2
                         $C—R^3$
                         $(CH_2)_n$
                    C
                    O

azlactone-functional supports

V

functional   step 3
material
HXG

$R^1-C-CNHC(CH_2)_nCXG$
          O R^2 O
          CH_2 R^3

VI

adduct supports

The crosslinked hydrophilic, azlactone-functional polymer supports of Formula V are prepared by a novel two-step process. In the first step the following group of monomers is subjected to a free radical polymerization reaction:

i) 0 to 89 molar parts of at least one water soluble monomer;

ii) 1 to 99.9 molar parts of at least one water soluble salt of N-(meth)acryloylamino acid; and

iii) in the range of 0.1 to 99 molar parts, preferably 7 to 99, more preferably 10 to 99, and most preferably 30 to 99 molar parts, of at least one crosslinking monomer.

The product of the above polymerization reaction is the crosslinked, hydrophilic, carboxylate-functional supports of Formula IV. The second step of the process involves treating the carboxylate-functional supports with a cyclization agent to form the azlactone-functional supports of the invention.

The degree of hydrophilicity of the polymer support is largely determined by the amount of water soluble monomer employed, although some hydrophilicity is imparted by the crosslinker and by the functional groups created, i.e., amide-amide, amide-ester, or amide-thiolester with amine, alcohol, or thiol nucleophiles (HXG as defined above), by the ring-opening, azlactone/nucleophile reaction (step 3 of Chemical Equations I). Therefore, in the strictest sense of the present invention, inclusion of a water soluble monomer is optional. Suitable water soluble monomers exhibit a solubility of at least 3 parts in 100 parts water. Preferred monomers include vinyl group-containing and acryloyl group-containing compounds. A representative list of such monomers includes acrylamide, methacrylamide, N,N-dimethylacrylamide, diacetoneacrylamide, N-vinylpyrrolidone, hydroxyethyl methacrylate, 2-acrylamido-2-methylpropanesulfonic acid and its salts, N-(3-methacrylamidopropyl)-N,N,N-trimethylammonium salts, N,N-dimethylaminoethyl methacrylate, acrylic acid, methacrylic acid, itaconic acid, and combinations thereof.

Preferred water soluble monomers are N,N-dimethylacrylamide and N-vinylpyrrolidone.

The N-acryloylamino acid salt monomers include ammonium, sodium, potassium, and lithium salts of N-acryloylamino acids of Formula VII and are prepared by mixing (at < 30° C) equal molar quantities of aqueous solutions of, for example, ammonium hydroxide, sodium hydroxide, potassium hydroxide, or lithium hydroxide and the Formula VII compounds.

$$CH_2=C-CNHC-(CH_2)_nCO_2H$$

with R^1, O, R^2 above the structure and R^3 below.

VII

wherein R^1, R^2, R^3, and n are as previously defined.

The N-acryloylamino acid compounds are well-known and can be readily synthesized. For Formula VII compounds in which n = 0, either the sodium salt of the appropriate amino acid can be acryloylated, for example, according to K. Huebner, et al., Makromol. Chem., 11, 109 (1970) or, more efficiently, by the method described in U.S. Patent No. 4,694,103 which involves the one-pot transformation of a ketone into an N-acryloylamino acid. For Formula VII compounds wherein n = 1, a useful preparation is the transformation of 3,3-disubstituted acrylic acids as disclosed by D.I. Hoke, et al., J. Polym. Sci.: Polym. Chem. Ed., 10, 3311 (1972).

Insolubilization is a necessary condition for easy removal of the support (e.g., beads) from the system. This is accomplished by inclusion of a monomer which contains a plurality of polymerizable groups and whose participation in a polymerization reaction results in the physical joining of polymer backbones or crosslinking. Crosslinking is also desirable in polymer-supported materials, especially beads, because the mechanical stability is generally substantially enhanced and some degree of control of bead size can be exercized by manipulation of the level of crosslinking, i.e., in general for a given polymerization condition, the greater the amount of crosslinker the smaller the bead size. The degree of crosslinking depends primarily on the intended use of the support material. In all instances the polymers are insoluble in all solvents and possess a molecular weight which is essentially infinite. For many applications requiring fairly high capacities and involving relatively small solute reaction partners which can diffuse into the swollen polymer support, low to moderate degrees of crosslinking are desired. According to D.C. Sherrington, Br. Polym. J., 16, 164 (1984), these crosslinked swellable supports (referred to as "gel-type" polymers) result from inclusion of from 1 to 20 parts of a multifunctional monomer. For certain applications requiring low degrees of physical expansion due to swelling and which can tolerate lower capacities, (as in certain

9

operations conducted in confined flow systems such as chromatographic columns or column reactors), highly crosslinked hydrophobic systems resulting from copolymerization of more than 20 parts of a multifunctional monomer are utilized. These are so-called "macroporous" polymers which are generally regarded as being non-swelling, and solute/support reactions occur primarily at the solvent/support inter-
5 face. Applications of these supports may involve large solutes, e.g., biomacromolecules, which cannot, because of their large size, diffuse into the polymer network.

In sum, the prior art teaches that in hydrophobic systems 20 parts or more of crosslinker results in a non-swelling system.

We have found with the hydrophilic supports of the present invention, however, that in order to achieve
10 a condition of low swelling in aqueous media, a substantially greater concentration of multifunctional monomer is necessary than the 20 parts commonly utilized in the so-called non-swelling, hydrophobic, macroporous resins described above. This may be a consequence of the utilization of these hydrophilic supports in water and the high degree of hydrophilicity imparted by the multifunctional monomers themselves, as they consist largely of highly polar functional groups.
15 The prior art generally has taught polymer supports (beads) comprising hydrophobic comonomers and hydrophobic crosslinking monomers in order to achieve crosslinked polymer beads. These were known to be swellable when 1 to 20 parts of crosslinker were present. Above 20 parts of difunctional monomer (crosslinker) provided essentially non-swelling beads. U.S. Patent No. 4,070,348 teaches that 0.2 to 5 mol % of crosslinking monomer provides beads with a high degree of swelling in water. The patentee believes that
20 this low degree of crosslinking and accompanying high degree of swelling is necessary to achieve high binding capacity.

In the instant invention, hydrophilic comonomers and hydrophilic crosslinkers are utilized. Swelling of supports so produced varies inversely with the amount of multifunctional crosslinker present. Polymer supports (e.g., beads packed together) with a low degree of swelling (less than 3 times the unswelled
25 volume) generally require substantially greater than 20 parts of difunctional crosslinker.

Surprisingly, there can still be a relatively low degree of swelling and high binding capacities of polymer supports in water with more than 5 mol % crosslinker (in hydrophilic systems). Such supports are useful as complexing agents, catalysts, polymeric reagents, chromatographic supports, and enzyme-, other protein-, and other biomacromolecule-bearing supports.
30 To achieve polymer supports with a low degree of swelling and still maintain high binding capacity, substantially greater amounts of crosslinker are required in hydrophilic systems. Such polymer supports are particularly useful in chromatographic applications and column reactors.

Suitable multifunctional crosslinking monomers include ethylenically unsaturated (α,β -unsaturated) esters such as ethylene diacrylate, ethylene dimethacrylate, trimethylolpropane triacrylate and
35 trimethacrylate, and α,β-unsaturated amides, such as methylenebis(acrylamide), methylenebis-(methacrylamide), N,N'-diacryloyl-1,2-diaminoethane, N,N'-dimethacryloyl-1,2-diaminoethane, and reaction products of 2-alkenyl azlactones and short chain diamines such as those represented by Formulae VIII and IX:

40

$$CH_2=CHCNHC—CNHCH_2CH_2HNC-C—HNCHC=CH_2$$

$$VIII$$

50

$$CH_2=C—CNHC—CNHCH_2CH_2HNCC—HNCC=CH_2$$

$$IX$$

55 The crosslinking monomers should be at least sparingly soluble in water but need not be as water soluble as defined for the water soluble monomer component. This is not generally a problem for the preparation of gel-type polymers because relatively small proportions of the crosslinking monomers are utilized with relatively large quantities of water solvent, and often the water soluble monomer component,

especially N,N-dimethylacrylamide and N-vinylpyrrolidone, will facilitate solution of the crosslinking monomer. For macroporous polymers, however, in which the concentration of crosslinking monomer is greater than 20 parts it may be necessary to add a co-solvent which will facilitate dissolution of the crosslinking monomer. Suitable co-solvents include N,N-dimethylformamide, N,N-dimethylacetamide, N-methylpyr-
5 rolidone, and dimethylsulfoxide.

The technique of polymerization employed in the present invention PROCESS I is often referred to as "reverse-phase" or "inverse" suspension polymerization, and a general discussion of this technique is disclosed by M. Munzer, et al., "Suspension Polymerizations from Non-Aqueous Media", in "Polymerization Processes" edited by C.E. Schildknecht and I. Skeist, Wiley-Interscience, New York, pp. 123-124 (1977).
10 The reversal of the normal suspension polymerization technique (in which water is the usual suspending medium) is necessary because the monomers of the present invention are soluble in water and therefore require a water immiscible suspending medium.

The primary purpose of the suspending medium, besides functioning as an inert medium for dispersion of the polymerizable phase, is to dissipate the heat generated in the polymerization reaction. An important
15 characteristic of the suspending medium is its density. In order to obtain spherical polymer beads of uniform size, the beads, once formed, should not exhibit a tendency to sink or float in the suspending medium. Therefore, the suspending medium and aqueous phases should be of approximately the same density.

The actual polymerization occurs in individual droplets of water containing the dissolved monomers and
20 initiator. The droplets are formed and maintained in the suspending medium by vigorous agitation, and the resultant beads' size and individuality (i.e., lack of aggregation) are controlled by the addition of various suspending agents which are surface active molecules that generally contain both hydrophobic and hydrophilic parts.

In and of itself, the polymerization step (step one) is not a novel aspect of the present invention. As is
25 apparent to one skilled in the art, the nature of the suspending medium, the amount of water employed, the initiation system, the amount of crosslinking agent, the stirring rate, and the suspending agent are all essentially independent and important variables that determine the shape and size of the polymeric beads. While not wishing to be bound by any particular set of polymerization conditions, we have found the reverse-phase suspension polymerization procedure described by G.L. Stahl, et al., J. Org. Chem, 44, 3424
30 (1979) to be exceedingly useful. In that procedure a mixture of heptane and carbon tetrachloride is utilized as the suspending medium; the initiation system is the ammonium persulfate/N,N,N',N'-tetramethyl-1,2-diaminoethane redox couple; the stirring rate is 300 rpm; and the suspending agent is sorbitan sesquioleate. Substitution of the various components by comparable materials can certainly be made, and such substitutions would not be outside the spirit and scope of the present invention. For example, utilizing a
35 polymeric stabilizer such as copoly(isooctylacrylate/acrylic acid) or copoly(hexylacrylate/sodium acrylate) instead of sorbitan sesquioleate was found to provide more consistently nonaggregated bead products.

Step two of PROCESS I of the invention consists of conversion of the carboxylate-functional supports into azlactone-functional supports. This is accomplished using a cyclization agent (CA). A cyclization agent is a reagent that can react with the carboxylate-functional supports to form an intermediate adduct which is
40 susceptible to intramolecular attack by the amide carbonyl group to form azlactone groups according to CHEMICAL EQUATIONS IA. This susceptibility is chiefly accomplished by forming a good leaving group (⁻O(CA) below) for the nucleophilic attack by the carbonyl.

45

CHEMICAL EQUATIONS IA

55

wherein R^1, R^2, R^3, and n are as defined above.

(Structures and formulae depicted between parentheses are partial structures of polymers depicting side chains that actively participate in the cyclization reaction. Use of brackets has the usual meaning of chemical intermediates or activated complexes. Dotted lines mean partial bonds, and δ means partial ionic charges.)

Useful cyclization agents for transformation of the carboxylate-functional supports include, by way of example, acetic anhydride, trifluoroacetic anhydride, and alkyl chloroformates such as methyl, ethyl, and isopropyl chloroformates. Carbodiimides such as N,N'-dicyclohexylcarbodiimide can be effectively utilized but require an additional step of acidifying the carboxylate-functional supports to form carboxyl-functional supports which can then be cyclized to azlactone-functional supports using the carbodiimide reagent. To facilitate understanding of the cyclization step of the invention, the intermediates that would result by employing the aforementioned cyclization agents are depicted below in order of mention.

The progress of the cyclization reaction can be easily monitored by examination of the infrared spectrum of the polymer supports. Appearance of a carbonyl stretching absorption at about 1820 cm^{-1} is evidence of azlactone groups. Indeed, one reason azlactone groups are so useful as linkages for covalent attachment to polymers is the ability to monitor reactions by observation of this infrared absorption, either the appearance of it in the synthesis of the azlactone-functional supports or the disappearance of it in the subsequent reaction with a functional material. This absorption is strong, very characteristic of azlactones, and located in a region of the infrared spectrum where essentially no other common absorptions are

observed. This is a decided advantage over other linking functional groups such as the chloromethylphenyl and oxirane which lack these unique features in their infrared spectra. A convenient analytical method for monitoring attaching reactions really does not exist with these latter groups.

Because of its low cost, availability, and liquid state at cyclization temperatures, acetic anhydride is a preferred cyclization agent. Typically, the carboxylate-functional supports are covered with acetic anhydride, and the mixture is warmed at temperatures from 40-100°C, preferably 80-100°C, for a period of 2-24 hours. After the cyclization reaction, the polymer supports are filtered. What also makes acetic anhydride particularly preferred is that the by-product of cyclization, the alkali metal acetate salt, is fairly soluble in acetic anhydride and can easily be removed from the azlactone-functional supports. The supports can then be dried directly or, as is often conducted, subjected to a series of washing operations with non-reactive organic solvents such as acetone, toluene, ethyl acetate, heptane, and chloroform prior to drying.

PROCESS II:

One-Step Reverse Phase Suspension Polymerization

Polymeric supports of PROCESS II of the invention are provided according to the process depicted in CHEMICAL EQUATIONS II, below.

CHEMICAL EQUATIONS II (PROCESS II)

water soluble monomers + Alkenyl Azlactone X + crosslinking monomers

Azlactone-Functional Supports

V

This process is conducted by the same polymerization technique as that employed in PROCESS I, and employs the same water soluble monomers and crosslinkers. The major difference is in the utilization of an alkenyl azlactone monomer X instead of the N-acryloylamino acid salt III. The amounts of reactants can be the same as for PROCESS I except that azlactone replaces the salt of N-(meth)acryloylamino acid. This process advantageously provides azlactone-functional polymer supports V in a single step, as opposed to the two-step process of PROCESS I. Several aspects of this process are surprising in light of the prior art.

First of all, the alkenyl azlactones X are fairly soluble in the suspending medium, yet they become readily incorporated in the polymer support (e.g., beads) without detrimental effects upon the polymerization process. (This is in sharp contrast to what is observed employing the teachings of U.S. Patent No. 4,070,348 (See Examples 47 and 48 below.)) Secondly, the azlactone ring is not hydrolyzed by the water in the aqueous phase during this polymerization process. This is also remarkable considering the teachings of U.S. Patent No. 4,070,348 and of Taylor, supra. After the polymerization process, the beads can be isolated, for example, by filtration, and subjected to a series of washing steps, if desired, and dried.

Useful azlactone monomers and their syntheses are described in U.S. Patent No. 4,378,411 and in "Polyazlactones", Encyclopedia of Polymer Science and Engineering, Vol. 11, Second Edition, Wiley, N.Y., 1988, pp. 558-571, both of which are incorporated herein by reference, and include:

2-vinyl-4,4-dimethyl-2-oxazolin-5-one, VDMO

2-isopropenyl-4,4-dimethyl-2-oxazolin-5-one, IPDMO

2-vinyl-4,4-diethyl-2-oxazolin-5-one,

2-vinyl-4-ethyl-4-methyl-2-oxazolin-5-one,

2-vinyl-4-dodecyl-4-methyl-2-oxazolin-5-one,

2-vinyl-4,4-pentamethylene-2-oxazolin-5-one,

2-vinyl-4-methyl-4-phenyl-2-oxazolin-5-one,

2-isopropenyl-4-benzyl-4-methyl-2-oxazolin-5-one, and

2-vinyl-4,4-dimethyl-1,3-oxazin-6-one.

Preferred azlactone monomers are

2-vinyl-4,4-dimethyl-2-oxazolin-5-one (which is commercially available from SNPE, Inc., Princeton, NJ),

2-isopropenyl-4,4-dimethyl-2-oxazolin-5-one, and

2-vinyl-4,4-dimethyl-1,3-oxazin-6-one.

PROCESS III:

Dispersion Polymerization

Polymeric supports of PROCESS III of the invention are provided by a polymerization process termed "dispersion polymerization", and in particular, by dispersion polymerization in organic media. In this process which is somewhat analogous to PROCESS II, the monomers and solvent are initially homogeneous. Shortly after polymerization begins, polymer separates as particles and the polymerization then continues in a heterogeneous manner. Polymeric "dispersants" or "stabilizers" are typically used to prevent aggregation of polymer particles during the polymerization process. Techniques for dispersion polymerization in non-aqueous media are well-known in the art, and are described in detail, for example, by K. E. J. Barrett in "Dispersion Polymerization in Organic Media", Wiley, N.Y., 1975. A dispersion polymerization technique which has proven advantageous for the preparation of azlactone-functional supports of the present invention of PROCESS III is that described by Y. Almog, et al., Brit. Polym. J., 1982, 131.

In general, azlactone-functional polymer supports of Formula V are prepared according to PROCESS III by subjecting to a free radical polymerization reaction the following group of monomers:

i) 1-100 molar parts of at least one alkenyl azlactone of Formula X;

ii) 0-99 molar parts of at least one crosslinking monomer; and

iii) 0-99 molar parts of at least one comonomer.

Suitable crosslinking monomers for use in this polymerization process include the ones useful for PROCESSES I and II. However, since water solubility is not a criterion in dispersion polymerization but rather solubility in the dispersing medium, other crosslinkers may be utilized such as, for example, divinyl compounds such as divinylbenzene.

Comonomers useful for the preparation of supports according to PROCESS III include the water soluble comonomers useful in PROCESSES I and II, but again include additional comonomers which are not water soluble. Virtually any free radically polymerizable monomer may be utilized as comonomer subject to the requirement that it have initial solubility in the dispersing medium.

Examples include: the vinyl aromatic monomers such as styrene, α-methylstyrene, 2- and 4-vinyl-pyridine; α, β-unsaturated carboxylic acids such as acrylic acid, methacrylic acid, itaconic acid, maleic acid, fumaric acid, and crotonic acid; α, β-unsaturated carboxylic acid derivatives such as methyl methacrylate,

butyl methacrylate, 2-ethylhexyl methacrylate, ethyl acrylate, butyl acrylate, iso-octyl acrylate, octadecyl acrylate, cyclohexyl acrylate, tetrahydrofurfuryl methacrylate, phenyl acrylate, phenethyl acrylate, benzyl methacrylate, α-cyanoethyl acrylate, maleic anhydride, diethyl itaconate, acrylamide, methacrylonitrile, N,N-dimethylacrylamide, and N-butylacrylamide; vinyl esters of carboxylic acids such as vinyl acetate and vinyl
5 2-ethylhexanoate; vinyl halides such as vinyl chloride and vinylidene chloride; vinyl alkyl ethers such as methyl vinyl ether, 2-ethylhexyl vinyl ether, and butyl vinyl ether; olefins such as ethylene; N-vinyl compounds such as N-vinylpyrrolidone and N-vinylcarbazole; vinyl ketones such as methyl vinyl ketone; and vinyl aldehydes such as acrolein and methacrolein.

As is well known to one skilled in the art of dispersion polymerization, an inert diluent or dispersing
10 medium must be chosen which will dissolve the monomer or monomer mixture but will precipitate the polymer as it forms. This presents a particular problem when preparing crosslinked polymers, since they are insoluble in all solvents. Therefore a dispersing medium must be chosen which will favor the separation of discrete particles during the polymerization process rather than formation of a crosslinked mass. A useful concept to aid in the determination of dispersing media or in choosing appropriate monomer mixtures which
15 may be dispersion polymerized in a particular medium is the concept of solubility parameter. This concept and its relationship to dispersion polymerization is discussed in detail by Barrett, supra (Chapter 4). Tables of solubility parameter values for many solvents and some polymers, as well as methods for the estimation of solubility parameter values for polymers and copolymers, can be found in Polymer Handbook, J. Brandrup and E. H. Immergut, Editors, 2nd Edition, Wiley, New York, 1975, p. IV-337ff. In general, for a
20 successful dispersion polymerization, the solubility parameter of the dispersing medium and of the polymer being formed should differ by at least about 1 to 1.5 solubility parameter units, preferably by 1.5 to 2 or more solubility parameter units. Therefore, for most monomer mixtures, solvents useful as dispersing media include nonpolar hydrocarbons such as pentane, hexane, petroleum ether, cyclohexane, and toluene, and the polar, hydroxylic solvents such as the alcohols methanol, ethanol, isopropanol, and t-butanol.

25 Initiators useful for PROCESS III of the invention include all free radical initiators which are soluble in the dispersing medium. Choice of the initiator will depend, as is well known in the art, upon the temperature at which the polymerization is conducted. Initiators useful at elevated temperatures, such as at 50° C or higher, include azo compounds, such as azobisisobutyronitrile, and peroxides or hydroperoxides such as benzoylperoxide, di-t-butylperoxide, t-butylhydroperoxide, and cumene hydroperoxide. For lower tempera-
30 ture reactions, for example at room temperature, redox initiators may be utilized such as, for example, peroxides or hydroperoxides in combination with a tertiary amine. One such redox system is benzoyl peroxide/ N,N-dimethylaniline. Initiators can be present in an amount in the range of 0.1 to 10 weight percent of the monomer composition, preferably 0.5 to 2.0 weight percent.

As mentioned above, the dispersion polymerization procedure of Almog, et al., has been used
35 effectively for the preparation of azlactone-functional supports by PROCESS III. This procedure employs an alcohol as the dispersing medium, and azobisisobutyronitrile as the initiator. A polymeric stabilizer such as polyvinylpyrrolidone, poly(vinyl methyl ether), polyacrylic acid, or polyethyleneimine is used in conjunction with Aliquat 336 (Henkel Corporation) as cosurfactant. Again a surprising and unexpected result of this procedure is that azlactone-functional polymer supports, both crosslinked and noncrosslinked, may be
40 prepared in one step in this hydroxylic medium without reaction of the alcohol solvent with the azlactone. Isolation involves a simple filtration, washing if desired, and drying.

While the beads prepared by the three processes described above all exhibit azlactone functionality on their surfaces, their physical properties may vary widely depending upon the process used for their preparation. The beads prepared via reverse phase suspension polymerizations are generally highly porous
45 (i.e., 10 to 90 volume percent voids, preferably 20 to 75 volume percent voids), with large surface areas and pore volumes, and have a high density of reactive groups. These beads are useful for applications in which binding capacities are of relatively more importance than are reaction kinetics. Beads produced by dispersion polymerizations, on the other hand, are generally smaller in size and are much less porous, in some instances being virtually nonporous. With these beads, reaction kinetics are very fast, a characteristic
50 which can be particularly useful in certain applications such as those requiring higher throughput rates.

PROCESS IV:

55

(Coating Solid Supports With Uncrosslinked Azlactone Polymers)

As noted above, polymeric supports of the invention can be in the form of beads. This is a physical form in which the supports possess great utility, particularly for uses such as packing chromatographic columns. However, the new materials are not restricted to the physical form of beads. We have found that certain soluble azlactone polymers (uncrosslinked) can also be coated on a number of substrates and they
5 exhibit the same reactive azlactone functionality in these forms as they do as beads. Thus, these substrates may be used for reaction with functional materials. For example, nylon filtration membranes and glass surfaces can be coated with azlactone polymers of this invention, by dipping the object to be coated into a solution of the polymer and allowing the dipped object to dry. Similarly, particulate material, such as ceramics (e.g., zirconium oxide) or unreactive polymers, such as particles of polyethylene, can be coated
10 with azlactone functional polymers. Other solution coating methods well known in the art may be used, such as for example spray coating and knife coating, depending upon the physical form of the substrate.

Similar results have been obtained when silica beads were used as a substrate upon which azlactone-functional polymers of this invention were coated. This kind of bead is commonly used as a packing in chromatographic columns. Likewise, using glass beads of controlled pore size, again a common column
15 packing medium, significantly improved protein binding and covalent binding have been found when using an azlactone-functional coating. Particular advantages of azlactone-functional supports of PROCESS IV are their incompressibility and almost complete lack of swelling.

The azlactone functional polymers useful for preparing coatings on solid substrates are well known in the art or can be prepared by techniques well known in the art. These polymers are prepared in general by
20 free radical polymerization of one or more alkenyl azlactones, optionally with one or more free radically polymerizable, ethylenically unsaturated comonomers, using polymerization procedures common in the art. Suitable azlactone containing polymers and copolymers are described, for example, in R. Huebner, et al., Angew. Makromol. Chem., 1970, 11, 109 and in U.S. Patent No. 4,378,411. Particularly suitable azlactone-functional polymers for preparing coatings on solid supports can be prepared by reacting a portion of the
25 azlactone groups of the above azlactone-containing homopolymers or copolymers with a lower alkyl amine or alcohol.

Other methods are available for preparing azlactone-functional supports. One method is to apply alkenyl azlactone monomer to the support (optionally along with other co-monomers) and polymerize the monomer-(s) in place. Methods of polymerization include photopolymerization (utilizing an appropriate photoinitiator)
30 as is well known in the art.

The azlactone-functional polymer supports of the invention have now been formed and are ready for reaction with a functional material. As indicated earlier, a surprising discovery was that functional materials can often be attached to azlactone-functional supports of the invention in solvents such as water that have heretofore been thought of as being reactive with azlactones. "Material" as used herein means the principal
35 chemical entity that is desired to be attached to a polymer support to accomplish a specific purpose. Stated another way, "material" means that portion or residue of the "functional material" which actually performs the adsorbing, complexing, catalytic, or reagent end-use. "Functional" for purposes of this invention means that portion of the "functional material" which contains a group that can react with an azlactone. "Functional" groups useful in the present invention include hydroxy, primary amine, secondary amine, and
40 thiol. These groups react, either in the presence or absence of suitable catalysts, with azlactones by nucleophilic addition as depicted in equation (2) below.

$$R^1-\overset{\displaystyle \underset{CH_2}{|}}{\underset{|}{C}}-\overset{\displaystyle \underset{O}{|}}{\underset{}{C}}\overset{N\diagdown R^2}{\diagup}\underset{(CH_2)_n}{\overset{|}{C}}-R^3 + HXG \longrightarrow R^1-\overset{\underset{CH_2}{|}}{\underset{|}{C}}-\overset{O\atop\|}{C}\quad \overset{O\atop\|}{\underset{HN-\overset{R^3}{\underset{|}{C}}-R^2}{CXG}}\underset{(CH_2)_n}{\overset{|}{}} \quad (2)$$

50

wherein R¹, R², R³, n, X, and G are as previously defined.

Depending on the functional group present in the functional material, catalysts may be required to achieve effective attaching reaction rates. Primary amine functional groups require no catalysts. Acid
55 catalysts such as trifluoroacetic acid, ethanesulfonic acid, toluenesulfonic acid, and the like are effective with hydroxy and secondary amine functional groups. Amine bases such as triethylamine, 1,8-diazabicyclo-[5.4.0]undec-7-ene (DBU) and 1,5-diazabicyclo[4.3.0]non-5-ene (DBN) (both available from Aldrich Chemical Co., Milwaukee, WI) are effective as well for hydroxy and thiol functional groups. The level of catalyst

16

employed is generally from 1 to 10 parts, preferably 1 to 5 parts, based on 100 parts of azlactone.

As is apparent to one skilled in the art, specific reaction conditions such as solvent, temperature, level of catalyst, etc. vary tremendously depending on the functional material that is to be attached. Because of the myriad of functional materials that have been or could be attached to polymer supports, any listing of functional materials beyond the generic HXG of equation (2) and CHEMICAL EQUATIONS I would be incomplete and somewhat unnecessary, as the inventive aspects of the present invention do not reside with the functional materials. What is novel is that these functional materials can be covalently bound to azlactone functional supports.

Having described the invention in general terms, objects and advantages of the invention are more specifically illustrated by the following examples. The particular materials and amounts thereof recited in the examples, as well as other conditions and details, should not be construed to unduly limit this invention. In the Examples below numbers in parentheses ( ) are in weight percent, and those in brackets [ ] are in mole percent.

EXAMPLE 1

This example teaches the preparation of an azlactone functional support according to PROCESS I.

Preparation of Copoly(N,N-Dimethylacrylamide: 2-Vinyl-4,4-Dimethylazlactone:Methylenebisacrylamide) (46:46:8) [54.8:39.0:6.1]

Step 1: Preparation of Copoly(N,N-Dimethylacrylamide(DMA): N-Acryloylmethylalanine Sodium Salt (NaAMA):Methylenebisacrylamide (MBA)) (44.6:50.4:7.8): A two-liter creased, round bottomed flask equipped with a mechanical stirrer (stirring rate about 300 rpm), nitrogen inlet, thermometer, and condenser was charged with heptane (1043 mL) and carbon tetrachloride (565 mL). This solution was stirred and sparged with nitrogen for 15 minutes. A separate solution was prepared consisting of a sodium hydroxide solution (6.6 grams; 0.165 mole dissolved in 85 mL of water), N-acryloylmethylalanine (AMA) (25.98 grams; 0.165 mole), DMA (23 grams; 0.232 mole), MBA (4 grams; 0.026 mole), and ammonium persulfate (1 gram; 0.004 mole) and added to the organic suspending medium. Sorbitan sesquioleate (Arlacel™ 83, ICI Americas, Inc., Wilmington, DE) (2 mL) was added and the mixture stirred and sparged with nitrogen for 15 minutes. N,N,N′,N′-tetramethyl-1,2-diaminoethane (2 mL) was added and the reaction temperature rose fairly quickly from 21°C to 33°C. The mixture was stirred at room temperature for three hours. The mixture was efficiently filtered using a "D" (greater than 21 micrometers) sintered glass funnel, and the filter cake washed thoroughly and repeatedly with acetone. After drying at 60°C and less than 1 Torr. for 12 hours, the dry solid (52 grams) was sieved and separated into four fractions: beads less than 38 micrometers, 12.32 grams; beads between 38 and 63 micrometers, 19.83 grams; beads between 63 and 90 micrometers, 4.56 grams; and beads greater than 90 micrometers, 13.95 grams. Employing an optical microscope arrangement consisting of a Nikon Nomarski Differential Interference Contrast Microscope, a Dage Newvicon video camera, a Sony 3/4" video recorder, and a Perceptive Systems, Inc. digital image processor with accompanying software, it was determined that the 38-63 micrometer sample consisted of quite spherical beads (average aspect ratio = 0.87) which swell in water with an accompanying increase in diameter of from 35-50%.

Step 2: Cyclization to Copoly(DMA:2-vinyl-4,4-dimethylazlactone (VDM) :MBA) (46:46:8): Acetic anhydride (100 mL) was added to 15.1 grams of the 38-63 micrometer beads prepared in Step 1. The mixture was heated to 100°C for two hours. After cooling and filtering, the beads were placed in a Soxhlet extraction apparatus and were extracted with ethyl acetate for 16 hours. After drying at 60°C and less than 1 Torr., the beads weighed 12.6 grams.

EXAMPLE 2

This example teaches the reaction of an azlactone-functional polymer bead with a protein functional material.

Preparation of Radiolabeled Protein A

Protein A (2.5 mg) (from Staphylococcus aureus) (Genzyme Corp., Boston, MA) was, dissolved in 10
5   mM potassium phosphate buffer (pH 7.0; 0.6 mL) and two Iodo-beadsTM (an insoluble form of chloramine T;
Pierce Chemical Co., Rockford, IL) were added to catalyze the addition of iodine to tyrosine residues. The
reaction was initiated by the addition of 0.1 milli Curies (mCi) of NaI (carrier-free ^{125}I, New England Nuclear
Co., N. Billerica, MA). The reaction was incubated at 20° C for 30 minutes with vigorous manual shaking at
five minute intervals. Protein A (both iodinated and unmodified forms) was separated from NaI by elution
10 through a Pharmacia PD-10 size exclusion column in the same phosphate buffer. The fractions which
contained protein were combined, aliquotted, and frozen at -15° C until used. Specific radioactivity on day 0
was 154,000 counts per minute (cpm)/μg. All subsequent calculations were corrected for the radioactive
half-life of ^{125}I of 60 days. Radioactive Protein A was not used beyond six weeks after iodination.

15
Reaction of the Radiolabeled Protein A with an Azlactone-Functional Bead

An azlactone-functional polymer utilized was that prepared as in Example 1 using DMA:VDM:MBA
20 (62.2:34.4:3.3 mole percent). The polymer beads (0.010 gram) were placed in a centrifuge tube and were
covered with a solution consisting of the labeled Protein A preparation above (100 μL) and 400 μL of a
phosphate buffer solution (pH 7.5). The mixture was shaken gently at room temperature for 90 minutes. The
tube was centrifuged, and the original supernatant and five successive washes (1 mL of pH 7.5 buffer) were
collected and their ^{125}I content determined using a Packard Auto-Gamma Scintillation Spectrometer Model
25 5230. The original supernatant exhibited 42,415 cpm (above background); first wash: 6722; second wash:
836; third wash: 202; fourth wash: 48; and fifth wash: 18 cpm. Ethanolamine (400 microliters of 0.5 M in pH
7.5 phosphate buffer) was added and shaken with the beads for 90 minutes to react with all the remaining
azlactone residues. Finally, after an additional four washes with buffer solution the beads and the reaction
vessel were counted and exhibited 7002 and 1865 cpm, respectively. This correlates to a level of 2.54
30 micrograms of Protein A/10 mg of beads.
A CONTROL experiment was conducted in the same manner except the order of addition of Protein A
and ethanolamine was reversed. The CONTROL exhibited a level of 0.14 microgram of Protein A/10 mg of
beads.
In a similar fashion, the effects of the catalyst DBU were examined, with the DBU (25 microliters) being
35 added to the initial Protein A buffer solution. The result was a level of 3.90 micrograms of Protein A/10 mg
of beads.

EXAMPLE 3

40

This example teaches the preparation of a highly crosslinked bead polymer of the invention by the
reverse phase suspension polymerization method using monomeric 2-vinyl-4,4-dimethylazlactone instead of
its precursor (PROCESS II).
45

Preparation of Copoly(Methylenebisacrylamide:2-vinyl-4,4-dimethylazlactone) (58:42) [55.5:44.5]

A 3-liter creased, round bottomed flask equipped with a mechanical stirrer (stirring rate 300 rpm),
50 nitrogen inlet, thermometer, and condenser was charged with heptane (1043 mL) and carbon tetrachloride
(565 mL). This solution was stirred and sparged with nitrogen for 15 minutes. A separate solution was
prepared as follows: Methylenebisacrylamide (29 grams, 0.188 mole) was dissolved in dimethylformamide
(160 mL); after solution was achieved, water (160 mL) was added and the resulting solution sparged with
nitrogen for 15 minutes. Sorbitan sesquioleate (3 mL) was added and sparging continued for an additional 5
55 minutes. At this point, ammonium persulfate (1 gram) was added and sparging continued for 1 minute more.
The solution was then quickly added to the organic suspending medium. Immediately following this
addition, VDM (21 grams, 0.151 mole) was added and the, whole mixture was sparged for an additional 5
minutes. N,N,N',N'-tetramethyl-1,2-diaminoethane (2 mL) was added and the reaction temperature rose

fairly rapidly from 22 to 29 degrees C. The reaction mixture was stirred for a total of 4 hours from the time of the diamine addition, then filtered using a "D" (greater than 21 micrometers) sintered glass funnel. The filter cake was washed on the filter with acetone (2x500 mL), then dried at 60 degrees C and less than 1 torr for 24 hours. IR analysis indicated a strong azlactone carbonyl absorption.

EXAMPLE 4A

A reverse phase suspension polymerization (PROCESS II) was conducted by a procedure similar to that of Example 3 except that a polymeric stabilizer was employed instead of the sorbitan sesquioleate. The polymeric stabilizer was prepared as follows: A solution of copoly(isooctylacrylate:VDM) (95:5) (31.68 grams of a 38.7% solids solution in ethyl acetate) was diluted with acetone (20.54 grams). To this solution was added choline salicylate (1.06 grams, 0.0044 mole) and 1,8-diazabicyclo[5.4.0]undec-7-ene (DBU) (0.1 gram) and the resultant mixture was heated at 55 degrees C for 15 hours. IR anayisis indicated the formation of the desired reaction product.

In the preparation of the bead polymer, 6.0 grams of the above polymeric stabilizer solution was utilized. After conducting the polymerization as described in Example 3, isolating and drying the bead polymer, IR analysis indicated that azlactone groups had all been hydrolyzed. Cyclization was accomplished using acetic anhydride as in Step 2 of Example 1. The beads were then filtered, washed with ethyl acetate (2x500 mL) and diethyl ether (1x500 mL), then dried under pump vacuum (<1 torr) for 24 hours at 65 degrees C.

EXAMPLE 4B

A reverse phase suspension polymerization was conducted by a procedure similar to that of Example 4A except that the polymeric stabilizer used was copoly(isooctylacrylate:N-acryloylmethylalanine, sodium salt) (90.5:9.5). IR analysis of the beads obtained indicated that no hydrolysis of the azlactone ring had occurred during the polymerization.

EXAMPLES 4C, 4D, AND 4E

Reverse phase suspension polymerizations were conducted by the procedure of Example 4A except that the polymeric stabilizer used was (4C) 90:10 copoly(isooctylacrylate: acrylic acid, sodium salt), (4D) (90:10) copoly(isooctylacrylate: acrylic acid), and (4E) (91.8:8.2) copoly(isooctylacrylate: N-acryloyl- α-aminoisobutyramide).

In all cases, IR analysis of the beads obtained indicated that no hydrolysis of the azlactone ring had occurred during polymerization.

EXAMPLE 5A

The following examples teach preparation of azlactone-functional bead polymers by dispersion polymerization in alcoholic media (PROCESS III).

Preparation of Copoly(2-Vinyl-4,4-dimethylazlactone: Ethyleneglycol Dimethylacrylate) (42:58)

A 1-liter creased, round bottomed flask equipped as in Example 3 was charged with t-butyl alcohol (400 mL), polyvinylpyrrolidone (7.0 grams), and Aliquat™ 336 (2.0 grams) (avaiable from Henkel Corp., Kankakee, IL). VDM (21 grams), ethyleneglycol dimethacrylate (EGDMA, 29 grams), and azobis-(isobutyronitrile) (AIBN) (0.5 gram) were mixed, and the resultant solution added to the reaction vessel. Nitrogen gas was bubbled through the stirred reaction mixture for ten minutes, then the flask was immersed

in an oil bath preequilibrated to 70 degrees C. Stirring and heating was continued for 2.5 hours, then the mixture was allowed to cool and was filtered. The, filter cake was washed two times with acetone and dried at 50 degrees C in a circulating air oven to give 43 grams of colorless polymer beads. IR analysis showed the azlactone ring to be intact, and that no apparent reaction with the alcohol solvent had taken place.

Additional examples of polymer beads were prepared by procedures similar to those described in this example except that different dispersing solvents, different monomer ratios, or different comonomers, were utilized. Beads were separately prepared using isopropanol, ethanol, and methanol as the dispersing solvent and methylmethacrylate, hydroxyethyl methacrylate, and 2-isopropenyl-4,4-dimethylazlactone were used as monomers. In all cases, IR analysis indicated that the azlactone ring was intact in the product beads. Table I shows the various formulations prepared by this method.

TABLE I

Polymer Beads Prepared By Dispersion Polymerization				
Example	Monomer Composition (wt%)			Solvent
	VDM	EGDMA	Other	
5A	48	52	—	t-butanol
5B	100	—	—	i-propanol
5C	10	90	—	i-propanol
5D	20	80	—	i-propanol
5E	30	70	—	i-propanol
5F	60	40	—	i-propanol
5G	80	20	—	i-propanol
5H	90	10	—	i-propanol
5I	42	20	38 (MMA)a	i-propanol
5J	40	50	10 (HEMA)b	i-propanol
5K	100 (IDM)c	—	—	i-propanol

a = methyl methacrylate.
b = 2-hydroxyethyl methacrylate
c = 2-isopropenyl-4,4-dimethylazlactone

EXAMPLE 6

Polymeric beads from the previous preparations were evaluated for their ability to bind Protein A using labeled protein. Radioiodinated Protein A (Example 2) was diluted with unlabeled Protein A to give a target specific radioactivity of 2000 cpm/μg of protein dissolved in phosphate buffered saline (PBS) 25 mM sodium phosphate, 150 mM NaCl buffer, pH 7.5, with a final protein concentration of 250 μg/mL. In triplicate samples 200 μL of Protein A solution was added to 10 mg of beads and allowed to react at room temperature for one hour. The reaction was terminated by removal of the protein solution and addition of 500 μL of 3.0 M ethanolamine, pH 9.0, for quenching the unreacted azlactone sites. After 30 minutes, the beads were washed three times with 500 μL of PBS, transferred to clean test tubes, and monitored for bound radioactive protein as in EXAMPLE 2. The following day, the beads were incubated with 500 μL of 1% SDS (sodium dodecylsulfate) in PBS for 4 hours at 37 degrees C to remove non-covalently bound protein. After incubation, the beads were rinsed three times with 500 μL SDS, and the remaining radioactivity was determined. The data from those experiments is shown in TABLE II, below.

TABLE II

Properties of Azlactone Polymeric Beads		
Bead (Example #)	Protein A binding (mg/g)	SDS resistance (%)
3	3.2	81
4A	2.8	90
5A	1.1	96
5E	4.1	96

The data of TABLE II show that beads prepared by PROCESSES II and III exhibited high protein binding capacities similar to those obtained in PROCESS I.

EXAMPLE 7

The surface area and pore size of azlactone polymer beads prepared by the methods of Examples 3, and 5A were measured by standard methods, BET-method (isothermal nitrogen absorption) and mercury porosimetry, respectively. Reactive groups were determined by modifying the method of Example 3 of U.S Patent No. 4,737,560 such that the beads were reacted in 0.1 M NaOH overnight before titration with standard acid solution. The results, shown in Table III, indicate that beads prepared by the method of Example 3 produced a material which was significantly more porous than Eupergit-C (values from vendor's information) while the beads produced by the method of Example 5A were nearly nonporous.

TABLE III

Properties of Polymeric Beads				
Bead	Surface area (m^2/g)	Ave. Pore size (A)	Reactive groups (meq/g)	Reactive density ($\mu eq/m^2$)
Ex. 3	200	550	2.79	14
Ex. 5A	2.85	250 (2.5 μm)	0.19	67
Eupergit-C	183	350	0.8-1.0	5.5

The measured average pore size of the porous azlactone beads of Example 3 was somewhat larger than Eupergit-C. The large measured pore size (2.5 micrometers) of the azlactone beads of Example 5A is believed to represent the interstitial volume between beads and indicates a lack of a porous structure. The number of reactive groups available on porous azlactone beads was higher than that available on Eupergit-C which could be of great utility when used for chromatographic purposes. When compared as reactive groups per unit area, the nonporous azlactone beads and porous beads were clearly superior to Eupergit-C.

EXAMPLE 8

This example demonstrates the preparation of azlactone-functional polymers which have enhanced coating properties for organic and inorganic substrates (PROCESS IV).
A homopolymer of VDM was prepared by free radical polymerization of the monomer using 2,2'-

azobisisobutyronitrile (AIBN) as initiator at 30% solids in methyl ethyl ketone (MEK). Samples of this polymer solution were reacted with methanol using DBU (2-5 mole % based on methanol charged) as catalyst. The amount of methanol used was chosen so as to leave a certain fraction of the azlactone rings of the polymer intact. The homopolymer and five modified polymers with 100, 80, 60, 40, 20, and 0 molar %

5   remaining were prepared. These will be referred to as VDM-100, VDM-80, VDM-60, VDM-40, VDM-20, and VDM-0, respectively, in succeeding examples.

Similarly ethylamine was reacted with a fraction of the homopolymer solution to produce a 60% ethylamide/40% azlactone polymer (VDM-60N).

10

EXAMPLE 9

This example shows the superior coating properties of modified poly VDM (PROCESS IV).

15   Glass microscope slides (2.5 x 7.6 cm); SurgiPath™) were dipped three times in a 10% solution of VDM-60 or VDM-100 (Example 8) in ethyl acetate and allowed to air dry for one hour at room temperature (PROCESS IV). The slides were then immersed in distilled water for 5 to 15 minutes and observed for remaining VDM coating. After rinsing, slides coated with VDM-60 polymer showed evidence of the undisturbed VDM polymer coating by the appearance of a faint opalescent sheen. A polymer film was

20   observed to float off the surface of those slides coated with VDM-100. This indicates that the partially methanol reacted azlactone polymer binds substantially better to a glass surface than the unreacted polymer. Similarly glass slides were dip coated in 10% solutions of VDM-100 and VDM-60N and air dried. Pairs of slides were immersed for 10 and 40 minutes in 0.1 M HCl solution. The VDM-100 coating bubbled and lifted in each case while the VDM-60N coating remained attached and unchanged by the treatment.

25   To confirm these qualitative observations, sections of plain glass microhematocrit capillary tubing (American Scientific Products, McGaw Park, IL) were coated with VDM-60 (Example 8) and allowed to air dry (1.2mm internal diameter, 6 mm length; 2 sections per assay 0.90 cm^2 total surface area). These samples (in triplicate) were incubated with radioiodinated Protein A as previously described (Example 26). The results (see Table IV, below) show that azlactone-functional polymer coating of the glass increased

30   both the amount of covalently bound protein (17-fold greater than non-treated glass) and the % SDS resistance (4.5-fold increase). In addition, incubation in the aqueous PBS solution at room temperature for 16 hours resulted in no significant loss of bound protein, indicating minimal dissolution of the azlactone-functional polymer coating by aqueous solution over this extended time interval.

35   TABLE IV

The Binding of Protein A to VDM-60 Coated Glass		
Treatment	Covalently bound protein (ng/cm^2)	SDS resistance (%)
none	11	16
solvent	26	23
VDM-60	194	72

50

EXAMPLE 10

This example illustrates the coating of silica gel with azlactone-functional polymer and the ability of the

55   coated product to covalently bind protein (PROCESS IV).

Chromatographic grade silica beads (Silicar CC-4F™, Mallinkrodt Chemical, St. Louis, MO) were dried in an oven at 135 degrees C, <1 torr, for 24 hours. A sample of this silica gel (9.81 g) was mixed with a 30% solids solution of VDM-100 polymer from Example 8 in MEK (1.63 g). This mixture was covered with

more MEK (50 mL) and allowed to stand at room temperature for 3 hours with occasional swirling. The solvent was then removed under reduced pressure and the coated silica gel, now containing 5% by weight azlactone polymer, was dried at <1 torr at room temperature overnight. Similarly VDM-80, VDM-60, VDM-40, VDM-20, and VDM-0 were coated onto silica gel. Approximately 10 mg of each coated silica gel and untreated silica gel were exposed to labeled Protein A and evaluated for protein binding as in Example 6,

The results of radioactivity monitoring of the protein-treated beads and subsequent SDS treatment are shown below in TABLE V.

TABLE V

The Binding of Protein A to Azlactone-Functional Polymer-Coated Silica Beads		
Bead Type	Bound Protein A (mg/g)	SDS Resistance (%)
Untreated Silica	0.15	42
VDM-0	0.14	41
VDM-20	1.97	94
VDM-40	2.44	97
VDM-60	2.60	98
VDM-80	2.64	98
VDM-100	2.50	97

The data of TABLE V show coating the beads with polymer containing 20% residual azlactone (VDM-20) resulted in a 14-fold increase in the amount of protein bound, with SDS resistance more than doubling. Solutions of polymer containing 40% azlactone functionality or higher yielded protein binding at a 17-fold increase over the uncoated silica. The SDS resistance increased to 98% as a result of the azlactone-functional polymer coating on this inorganic support material.

EXAMPLE 11

This example illustrates the ability of partially reaction azlactone polymer to coat zirconium oxide ceramic beads (PROCESS IV).

Zirconium oxide ceramic beads (12.65 g) prepared as described in M. P. Rigney, Ph.D. Thesis, "The Development of Porous Zirconia as a Support for Reverse Phase High Performance Liquid Chromatography", University of Minnesota, Minneapolis, MN (1988) were coated as in Example 10 with VDM-60 to a final 5 weight % loading. Coated and uncoated beads were evaluated for protein binding using radioiodinated Protein A.

Approximately 20 mg of each bead type (in triplicate) were incubated with 400 μL of a dilute solution of labeled Protein A (specific radioactivity at 2000 cpm/μg; 250 μg protein/mL) for one hour, at which time 800 μL of 3.0 M ethanolamine, pH 9.0, was added to the reaction mixture. After centrifugation and removal of the supernatant, an additional 800 μL of quenching amine was incubated with the beads for 30 minutes. This quench was followed by 3x800 μL rinses with PBS. The beads were then monitored for radioactivity (10 minutes per tube), and were subjected to 1% SDS treatment on the following day (see Example 6).

Azlactone-functional polymer coating of the beads resulted in a 24-fold increase in protein bound to the ceramic material, 0.72 μg protein per mg beads versus 0.03 μg per mg for uncoated beads. In addition, the bound protein was greater than 99% resistant to SDS treatment, indicating covalent bond linkage of the protein to the azlactone-functional polymer-coated zirconium oxide support.

EXAMPLE 12

23

This example illustrates the preparation of a nylon membrane coated with polyazlactone and the binding of protein to it (PROCESS IV).

Small disks of nylon filtration membrane (filter-pure™ Nylon-66, 0.2 μm; Pierce, Rockford, IL) were cut (1/4" diameter; total surface area of 0.61 cm²/disk) and immersed in a 1% solution of VDM-60 (Example 8)

5   in ethyl acetate for one hour at room temperature, followed by air drying. Protein A binding was evaluated by the procedure of Example 6 with exception that polyazlactone-coated disk and untreated disks (in triplicate) were treated with 250 μL of labeled Protein A solution and allowed to react at room temperature for one hour, with the initial 30-minute incubation performed under vacuum to ensure complete wetting of the membrane. The reaction was terminated by removal of the protein solution and addition of 500 μL of

10 3.0 M ethanolamine, pH 9.0, for quenching the unreacted azlactone sites as before.

The VDM-60 treated nylon membrane disks showed a 60% increase in covalently bound protein over the untreated disks (757 ng Protein A/cm² vs. 472 ng/cm²), with a significant six-fold increase in the SDS resistance (71% compared to 11%). These results indicate that protein binding to this membrane could be increased by a simple treatment with the azlactone-functional polymer.

15

EXAMPLE 13

20 This example demonstrates the coating of polyethylene particles with partially reacted azlactone polymer and the ability of the coated organic particle to bind protein (PROCESS IV).

High density porous polyethylene particles (prepared as disclosed in U.S. Patent No. 4,539,256) were cryogenically ground according to the procedure disclosed in Australian Patent No. 551,446 and then coated with a 5% loading of VDM-60 by a procedure similar to that of Example 10. Untreated and VDM-60

25 treated particles were evaluated for Protein A binding as previously outlined (Example 6), using 10 mg of particles per tube, 200 μL of Protein A solution, and 500 μL of quenching reagent, PBS, and SDS solution.

Radioactive determinations indicated a 65% increase in covalently bound protein on the VDM-60 treated particles compared to the untreated polyethylene. SDS resistance increased from 24% to 65%, representing a two- to three-fold increase in the relative amounts of covalent protein binding.

30

EXAMPLE 14

35 This example shows that graft polymers of VDM and polystyrene can be used to coat glass beads (Corning Glass Works, Corning, NY) (PROCESS IV).

Controlled pore glass (CPG) beads were treated as in Example 10 with sufficient 1 % solution in toluene of a VDM-grafted polystyrene (2 % VDM) to result in a 1 % loading of the CPG after evaporation. As a control, ungrafted polystrene was also coated onto CPG by a similar procedure. The coated CPGs

40 were then tested for Protein A binding in comparison with the untreated glass material, as previously outlined in Example 6, using 10 mg of support material per tube.

Determination of covalently bound radioactive protein indicated a nine-fold increase of total protein binding to the polystyrene-coated beads over the uncoated beads, with an additional three-fold increase on the VDM-grafted polystyrene coated material. SDS results showed a doubling of percent resistance of the

45 bound protein on the VDM-grafted polystyrene compared with the plain polystyrene-coated beads. These data indicate a significant increase in covalent protein binding as a direct result of the VDM-grafted polymer coated on the glass beads.

50 ## EXAMPLE 15

Derivatization of VDM Copolymer Beads and Demonstration of Hydrophobic Interaction Properties

55

VDM copolymer beads from Example 18 of U.S. Patent No. 4,871,824 were derivatized for 96 hours at room temperature with 0.5 M phenethylamine (Aldrich Chem. Co., Milwaukee, WI) in 25 mM phosphate

buffer, pH 7.5. The beads were washed exhaustively with phosphate buffer, and packed manually into a 0.35 mL OmniTM glass column (3 mm x 5 cm; Rainin Instrument Co., Woburn, MA). The column was equilibrated on the FPLC system (Pharmacia Inc., Piscataway, NJ) with 1.7 M ammonium sulfate in 50 mM phosphate buffer, pH 6.8. Ovalbumin (5 mg/mL; Sigma Chem. Co., St. Louis, MO) dissolved in the ammonium sulfate buffer was loaded onto the column. At a flow rate of 1.0 mL/min, a 15 mL gradient (1.7 M ammonium sulfate to 0.0 M in phosphate buffer) was performed to evaluate elution of the protein by hydrophobic interaction. In this example, 0.53 mg of the protein was eluted late in the gradient at 10.45 mL elution volume (1.16 M ammonium sulfate), with the remaining protein recovered in the void volume. This result is in contrast to a control column using the identical solvent system, but packed with VDM beads that had been hydrolyzed in phosphate buffer. The control showed no interaction with the ovalbumin, i.e., all of the protein passing unretarded through the hydrolyzed copolymer column at the void volume.

Bovine serum albumin (BSA; Sigma) at 25 mg/mL in ammonium sulfate buffer was injected onto the column and eluted by the same gradient as above, but at a flow rate of 0.3 mL/min. This high concentration (5 mg injection) of protein resulted in 32% of the total protein being eluted at 10.53 mL (1.17 M salt), and the rest recovered in the void volume. Upon reinjection, a fraction of the unbound protein from the void volume bound to the column and eluted at 10.49 mL, suggesting that the initial injection had over-loaded the column. These data suggest that as the salt concentration is reduced, the proteins elute from the matrix based on their hydrophobicity. This demonstration indicates the potential application of the VDM copolymer in hydrophobic interaction chromatography.

EXAMPLE 16

Demonstration of Ion Exchange Properties

VDM copolymer beads from Example 15 were derivatized with 0.7 M taurine (Aldrich Chem., Milwaukee, WI) in 25 mM phosphate buffer, pH 7.5, for 72 hours at room temperature. The excess reagent was rinsed from the beads with buffer before packing in a 0.35 mL OmniTM glass column (3 mm x 5 cm). The column was equilibrated with 50 mM acetic acid, pH 5.0. BSA was dissolved in the equilibration buffer, and 0.8 mg was injected onto the column. After loading the protein in 5 mL of equilibration buffer at a flow rate of 0.5 mL/min, a 25 mL salt gradient from 0 to 2 M NaCl (in 50 mM acetate, pH 5.0) was applied for ion exchange elution. As detected by UV absorbance readings at 280 nm, 0.54 mg of the BSA eluted from the column at an elution volume of 8.8 mL. The remaining protein was recovered in the void volume.

The above protocol was performed with bovine antibody IgG (Sigma) as the experimental protein to evaluate differences in elution between two proteins. After loading 0.68 mg IgG, approximately 0.52 mg (64%) was eluted at 8.4 mL, with the remaining IgG recovered in the void volume. These results correlate with previous experiments using commercial ion exchange matrices, in which IgG eluted slightly before BSA on a Mono S column (Pharmacia Co., Piscataway, NJ).

A mixture of the above two proteins was resolved using the taurine-azlactone column when it was injected onto the column and eluted at 0.2 mL/min according to the following multiple gradient: a 30 mL gradient from 0 to 0.30 M NaCl, followed by a 15 mL gradient to 1.0 M NaC$_1$, and final cleansing of bound protein with 2 M NaCl. The proteins eluted in two main peaks at 17.8 mL (0.13 M NaCl) and at 21.5 mL (0.16 M NaCl). These elution volumes vary from the previous examples, due to the change in flow rate.

EXAMPLE 17

Demonstration of Anion Exchange Properties of Azalactone Beads

VDM polymer beads from Example 15 were reacted with an excess of 4-dimethylamino-1-butylamine in acetone for 12 hours at reflux. Following filtration and washing with acetone to remove unreacted amine, the beads were dried under vacuum at 60 degrees C. The beads were then packed into a 2.0 mL glass column,

5 mm x 10 cm (Pharmacia Fine Chemicals, Uppsalla, Sweden), and equilibrated with 20 mM tris-(hydroxymethyl)aminomethane (Tris), pH 8.0. BSA and bovine IgG were injected onto the column and eluted with a 20 mL gradient from 0 to 2 M NaCl, 20 mM Tris, pH 8.0. The retention volumes for the proteins were 17.0 and 21.7, respectively, with a void volume of 4.1 mL. This demonstrates the use of
5   cationic derivative of the VDM polymer beads for anion exchange separations.

EXAMPLE 18

10

Demonstration of Size Exclusion Properties

15   VDM polymer beads from Example 15 were hydrolyzed in 10 mM phosphate buffer at pH 7.5 for >72 hours at room temperature. The beads were packed in a 2 mL glass column, 5 mm x 10 cm, and equilibrated in 50 mM sodium sulfate in phosphate buffer (10 mM), pH 7.2. The materials shown in TABLE VI, below, were dissolved in water and filtered (0.2 μm) prior to injection onto the column:

20   TABLE VI

Separation of Biological Molecules by Size Exclusion Using Porous Polymer Beads		
Material	MW (Daltons)	Elution Volume
blue dextranTM	2,000,000	1.45 mL
thyroglobulin	670,000	1.53
catalase	247,000	1.63
bovine serum albumin	69,000	1.80
myoglobin	17,000	1.98
vitamin B-12	1,355	2.25
6M sodium sulfate	142	2.60

35

Each material (100 μL) was loaded onto the column and eluted in the running buffer at a flow rate of 0.2 mL/min. Detection of the elution volume was by UV absorbance at 280 nm. The 6 M sodium sulfate provides an absorbance deflection due to a refractive index change caused by the increased salt
40   concentration, and provides a very low molecular weight non-protein marker.

The graphed results show a linear relationship between the log of the molecular weight and the elution volume. These data are indicative of wide ranging size exclusion properties of the hydrolyzed VDM polymer. Based on this standard curve, this particular preparation of azlactone copolymer beads can be used for size exclusion chromatography over a molecular weight range of 4 log units (100 to 1,000,000).
45

EXAMPLE 19

50

Size Exclusion Characteristics of Derivatized VDM

VDM copolymer from Example 15 was derivatized with two amine reagents of short chain lengths for
55   further size exclusion studies. The beads were exposed to either 2 M ethylamine in phosphate buffer (25 mM, pH 7.5) or 0.5 M butylamine (in the same buffer system) for at least 72 hours at room temperature. The excess amines were removed by rinsing in buffer, and individual 5 mm x 10 cm columns were prepared. Blue dextran, thyroglobulin, catalase, and bovine serum albumin were loaded onto the columns

and eluted as described in Example 18. The results again demonstrate a linear relationship between the log of the molecular weight and the elution volume.

EXAMPLE 20

Demonstration of Reverse Phase Chromatography

Azlactone polymer beads from Example 15 were derivatized by 1 M octylamine in phosphate buffer (25 mM), pH 7.2, for 72 hours at room temperature. The beads were washed free of excess alkyl amine with buffer and were packed in an Omni 3 mm x 5 cm glass chromatography column. The 0.35 mL column was equilibrated in 1.7 M ammonium sulfate (pH 7.0). Myoglobin was dissolved in the equilibration buffer and 1.25 mg was loaded onto the column. Elution with a decreasing salt gradient of ammonium sulfate as in Example 15 did not result in any protein recovery. The use of typical protein reverse phase elution conditions, a 30 mL gradient of 1% trifluoroacetic acid (TFA) in water to 1% TFA in 70% methanol, resulted in recovery of the protein. The demonstration was repeated with polymer beads reacted with 0.5 M methylamine (C1), 2 M ethylamine (C2) and 0.5 M butylamine (C4) with similar results.

Using the beads with C8 groups attached, injections of myoglobin, BSA, and lysozyme were made and eluted with a 30 mL gradient from 1% TFA in water to 1% TFA in 70% methanol at a flow rate of 0.1 mL/min. The elution profiles are summarized in Table VII.

TABLE VII

Reverse Phase Separations of Proteins Using Octylamine-Derivatized Copolymer Beads		
Protein	Peak Elution (mL)	Integrated Area (% of Total)
Myoglobin	0.61	18 (Void volume)
	6.1	28
	36.3	50
BSA	0.67	8 (Void volume)
	26.8	18
	31.8	30
	36.2	43
Lysozyme	0.72	9 (Void volume)
	33.8	86

The differences in these elution profiles are indicative of the differences in the size and hydrophobic nature of these proteins and demonstrate the use of VDM beads derivatized with C1 to C8 groups in reverse phase chromatography.

EXAMPLE 21

Reverse Phase Chromatography of Low Molecular Weight Materials

VDM beads of Example 15 were reacted with excess n-hexadecylamine (C16) in diethyl ether for an

hour. The unreacted amine was removed by filtration and washing with diethyl ether. The derivatized beads were then dispersed in methanol and packed into a 4.6 x 100 mm stainless steel HPLC column. After equilibrating in 45/55 methanol/water, injections of small molecule organics were made and eluted at 0.25 mL/min with UV detection at 280 nm. Table VIII summarizes the retention times and further demonstrates the use of alkylamine derivatized VDM polymer beads as reverse phase chromatography supports.

TABLE VIII

Reverse Phase Separation of Low Molecular Weight Materials	
Compound	Retention (Vol/void vol)
uracil	1.0
benzophenone	1.57
nitrobenzene	2.15

EXAMPLE 22

Coating of Azlactone Monomer onto Polystyrene Wells

2-Vinyl-4,4-dimethyl azlactone monomer (VDM) was formulated with 0.25 g by weight of a photoinitiator (IRGACURE™ 651 (Ciba Geigy)), then painted on the surface of polystyrene microtiter wells (Immulon™ II, Dynatech, Springfield, VA). The wells were then irradiated under a nitrogen atmosphere using a bank of four fluorescent blacklight tubes (GTE Sylvania, Inc.) for 30 minutes. This resulted in the polymerization of the azlactone monomer on the surface of the wells. Other monomers such as 4-isopropenyl-4,4-dimethylazlactone (IDM) can be coated in a similar manner.

EXAMPLE 23

Coating Azlactone-Functional Copolymers Onto Polystyrene Wells

Copolymers of VDM and methyl methacrylate (MMA) were prepared by standard free radical solution polymerization techniques. Samples of copolymers containing VDM/MMA ratios (mole/mole) of 85:15, 70:30, and 50:50 were each diluted with 10% solids in ethyl acetate. Coating of microtiter wells was accomplished by placing 3 drops of polymer solution into each well using a disposable pipette, followed by evaporation in a circulating air oven at 60 degrees C for 30 minutes. Alternatively, copolymer solution was painted onto the wells, followed by solvent evaporation.

EXAMPLE 24

Use of Polystyrene Wells for Improved Immunoassays

Evaluation of the modified surfaces of the wells of EXAMPLE 22 was carried out by adding aqueous solutions of mouse IgG (Sigma Chemical) or anti-goat IgG (Cooper-BioMedical, Malvern, PA) at 50 μg/mL in PBS, pH 7.0, to 48 wells and incubating them at room temperature for 2 hours. The solutions were aspirated and a fixing solution of BSA (2.5 mg/mL) and sucrose (5%) in PBS was incubated for 30 minutes.

5 The coated wells were then aspirated and dried. A similar number of of unmodified wells were coated by this procedure.

The amount of bound protein was evaluated by adding enzyme-labeled reagents, anti-mouse IgG-alkaline phosphatase and goat IgG-horseradish peroxidase to mouse IgG and anti-goat IgG treated wells, respectively, incubating for 1 hour and washing the wells three times with a pH 7.5 buffered non-ionic

10 surfactant solution. After adding the appropriate enzyme substrates, the color produced by the bound enzyme-labeled reagents was measured. The data from these wells are summarized in TABLE IX below.

TABLE IX

Binding of Antibodies to Azlactone Copolymer-Coated Microtiter Wells			
Well Treatment	Absorbance	SD*	CV**(%)
Anti-IgG			
Control (No Treatment)	0.078	0.029	37
Azlactone Treated	0.095	0.023	25
IgG			
Control	0.664	0.082	12
Azlactone Treated	1.161	0.115	9

*SD = standard deviation
**CV = coefficient of variation (SD/mean)

Wells treated with mouse IgG produced nearly 75% more signal than untreated wells while the anti-goat IgG wells produced over a 20% increase in coupled signal. The coefficient of variation of the modified wells were about one-third less than those of the untreated wells.

35 The data of TABLE IX indicates that both the amount of protein bound and the reproducibility of the treatment are increased over the normal passive adsorption technique.

EXAMPLE 25

Improved Binding of Allergenic Proteins to Coated Polystyrene Wells

Perennial ryegrass (PRG) extract and chymopapain (CP) (3M Diagnostic Systems, Santa Clara, CA) were isotopically labeled with I-125 and incubated in control (untreated) and VDM/MMA-treated polystyrene microtiter wells prepared as in Example 23 for 2 hours at ambient temperature. Radioactive solution was removed by aspiration and unreacted/unbound sites on the surface were blocked by incubation with serum

50 albumin for 1 hour. The residual radioactivity of the dried wells was determined and the corresponding amounts of bound protein calculated as shown in TABLE X below.

Binding of Allergenic Proteins to Coated and Control Polystyrene Wells			
Sample	Bound Protein (ng)	SD	CV(%)
PRG			
Control	66	2.2	3.4
VDM	79	3.8	4.8
CP			
Control	45	2.2	4.8
VDM	56	2.6	4.7

The data of TABLE X show that VDM-coated polystyrene wells bound 20-25% more allergen protein with similar precision than the Control.

EXAMPLE 26

Increased Irreversible Binding of Allergenic Proteins to Coated Polystyrene Wells

Microtiter test wells coated with I-125-labeled-allergens, as in EXAMPLE 25, were incubated with 0.1% SDS at 37°C or in phosphate buffer at ambient temperature. After 4 hours solutions were removed by aspiration and rinsed twice with deionized water, and the residual bound I-125 was rinsed twice with deionized water, and the residual bound I-125 was determined. The percent protein remaining is presented below in TABLE XI.

TABLE XI

Increased Resistance of Azlactone-Bound Protein to Solubilization by Denaturant				
	% Protein Remaining			
	PRG*		CP**	
SAMPLE	BUFFER	SDS	BUFFER	SDS
Control	83	43	74	37
50/50 VDM/MMA	85	64	82	68
70/30 VDM/MMA	85	64	85	73
85/15 VDM/MMA	86	67	83	73
IDM	83	45	77	49

*PRG = perennial rye grass
**CP = chymopapain

With the possible exception of the isopropenyl derivatives with PRG, the data of TABLE XI show there is considerably higher residual binding in azlactone-treated wells than in controls indicating covalent binding of allergen protein.

COMPARATIVE EXAMPLE 27

The following Example is an attempt to prepare azlactone-functional beads by a procedure similar to that of EXAMPLE 3 of U.S. Patent 4,070,348.

5   Heptane (42 g), perchloroethylene (84 g) and benzoyl peroxide (0.5 g) were placed in a 500 mL round bottom flask. Acrylamide (15 g), VDM (15 g), ethylene glycol dimethacrylate (0.76 g), and polymeric stabilizer (0.025 g) were dissolved in DMF (20 g) and this solution was then added to the reaction flask at room temperature. The polymeric stabilizer used was an isobutylacrylate/n- butylacrylate/VDM (45:45:10) copolymer which had been reacted with choline salicylate by a procedure similar to that of EXAMPLE 4A.

10 The monomer phase was distributed in the organic phase by stirring at 350 rpm and was purged with N_2 for 45 minutes. With external cooling, the polymerization was initiated by the addition of dimethylaniline (0.25 g). Within three minutes, the monomer mixture had separated out as a large, crosslinked mass around the stirrer shaft. No beads were evident.

15

## EXAMPLE 28 (Comparative)

20   The following is an attempt to prepare an azlactone-functional bead according to the teachings of U.S. Patent No. 4,070,348. The reaction was carried out using the same ingredients and their amounts as specified in EXAMPLE 25 of U.S. Patent 4,070,348, except that VDM was substituted for glycidyl acrylate. Again, a crosslinked polymer mass separated within two minutes of initiation of the reaction. No beads were evident.

     Various modifications and alterations of this invention will become apparent to those skilled in the art 25 without departing from the scope and spirit of this invention, and it should be understood that this invention is not to be unduly limited to the illustrative embodiments set forth herein.

Claims

30

1. A hydrophilic, azlactone-functional support having in the range of 0 to 99 molar parts of ethylenically unsaturated crosslinking monomer incorporated therein when said support is a membrane, film, or coating on a substrate, or having in the range of 0 to 5 molar parts of ethylenically unsaturated monomer incorporated therein when said support is a bead.

35   2. The azlactone-functional support according to claim 1 having units of the formula:


wherein
R^1 is H or CH_3,
50 R^2 and R^3 each independently is an alkyl group having 1 to 14 carbon atoms, a cycloalkyl group having 3 to 14 carbon atoms, an aryl group having 5 to 12 ring atoms, an arenyl group having 6 to 26 carbon and 0 to 3 S, N, and nonperoxidic O heteroatoms, or R^2 and R^3 taken together with the carbon to which they are joined can form a carbocyclic ring containing 4 to 12 ring atoms, and
n is an integer 0 or 1.

3. The azlactone-functional support according to claims 1 and 2 which is crosslinked.
55   4. The azlactone-functional support according to claims 1 to 3 which is a bead, membrane, film, or coating on a substrate.

5. An adduct support having units of the formula

31

$$R^1-\underset{\underset{\overset{|}{\underset{CH_2}{\overset{|}{CH_2}}}}{\overset{\displaystyle\smile}{\underset{|}{C}}}}{\overset{O}{\underset{||}{C}}}-NHC-\underset{\overset{|}{R^3}}{\overset{R^2}{\overset{|}{C}}}-(CH_2)_n-\overset{O}{\underset{||}{C}}XG$$

wherein
R^1, R^2, R^3, and n are as previously defined,
n = 0 or 1,
X is -O-, -S-, -NH-, or - $\underset{|}{N}R^4$

wherein R^4 is alkyl or aryl, and
G is the residue of HXG which performs the adsorbing, complexing, catalyzing, separating, or reagent function of the adduct supports,
wherein said support is a membrane, film, or coating on a substrate when said support further comprises up to 99 molar parts crosslinking monomer, or wherein said support is a bead when said support further comprises up to 5 molar parts crosslinking monomer.

6. The adduct support according to claim 9 wherein HXG is selected from the group consisting of adsorbants, biologically active substances, catalysts, reagents, and dyes.

7. The adduct support according to claims 5 and 6 which is a bead, a membrane, a film, or a coating on an organic or inorganic substrate.

8. The adduct support according to claims 5 to 7 which is a complexing agent, a chromatographic support, a catalyst, a polymeric reagent, or an adsorbant.

9. The adduct support according to claims 5 to 8 which is a chromatographic support, a catalyst, a polymeric reagent, or an adsorbant.

10. A method for preparing an azlactone-functional support comprising the steps of one of PROCESSES I, II, III, or IV:

PROCESS I
(a) polymerizing together
(i) 0 to 89 molar parts of at least one free radically addition polymerizable, water soluble monomer,
(ii) 1 to 99.9 molar parts of at least one water soluble salt of N-(meth)acryloylamino acid, and
(iii) in the range of 0.1 to 99 molar parts of at least one crosslinking monomer to provide carboxylate-functional polymer beads,
(b) reacting said carboxylate-functional beads with a cyclizing agent, and
(c) isolating the resulting azlactone-functional polymer support;
wherein said support is a membrane, film, or coating on a substrate when said support further comprises up to 99 molar parts crosslinking monomer, or wherein said support is a bead when said support further comprises up to 5 molar parts crosslinking monomer;

PROCESS II
(a) polymerizing together
(i) 0 to 89 parts of at least one free radically addition polymerizable, water soluble monomer,
(ii) 1 to 99.9 molar parts of at least one alkenyl azlactone, and
(iii) 0.1 to 99 molar parts of at least one crosslinking monomer, and
(b) isolating the resulting azlactone-functional polymer support;
wherein said support is a bead, membrane, film, or coating;

PROCESS III
(a) polymerizing together
(i) 1 to 100 molar parts of at least one alkenyl azlactone,
(ii) 0 to 99 molar parts of at least one crosslinking monomer, and
(iii) 0 to 99 molar parts of at least one free radically addition polymerizable monomer, and
(b) isolating the resulting azlactone-functional polymer support;
wherein said support is a bead, membrane, film or coating on a substrate;

PROCESS IV
(a) providing an azlactone-functional polymer having units of the formula:

$$
\begin{array}{c}
\text{R}^{1}\text{--C--C} \\
\end{array}
$$

wherein R^1, R^2, and R^3 and n is as defined in claim 4,

(b) coating said azlactone-functional polymer onto a solid substrate to provide an azlactone-functional polymer support;

The method optionally further comprising the step of:

(d) reacting the azlactone-functional polymer support with a functional material capable of reacting with said azlactone in a ring-opening reaction, said reaction optionally taking place in aqueous solution, and

(e) isolating the resulting adduct support.

11. The method according to claim 10 wherein said functional material is selected from the group consisting of adsorbants, biologically active substances, catalysts, reagents, and dyes.